

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	717	361/215-218.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 20:53
S2	3662	(housing casing case enclosure chassis cover container) with (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) with ((fiber fibre composite) near material\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 20:55
S3	2	S2 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 20:55
S4	24686	(housing casing case enclosure chassis cover container) with (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) and ((fiber fibre composite) near material\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 20:56
S5	5	S4 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 20:57
S6	592651	(housing casing case enclosure chassis cover container) with (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 20:58
S7	71	S6 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 20:59
S8	21	S7 and (valve duct conduit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 20:59

S9	78512	(housing casing case enclosure chassis cover container) same (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) same (valve duct conduit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:04
S10	339	S9 and (prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4) near4 (static electrostatic electro-static electro adj static electric\$2) near2 (electricity charge\$1 potential \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:07
S11	16637	(housing casing case enclosure chassis cover container) with (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) with (valve duct conduit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:08
S12	62	S11 and (prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4) near4 (static electrostatic electro-static electro adj static electric\$2) near2 (electricity charge\$1 potential \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:08
S13	7995	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4) with (static electrostatic electro-static electro adj static electric\$2) near3 (electricity charge\$1 potential \$1) with (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:12

S14	1794	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4) near4 (static electrostatic electrostatic electro adj static electric\$2) near3 (electricity charge\$1 potential \$1) near4 (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:14
S15	279	S14 and (valve duct conduit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:15
S16	188	S15 and (thermoplastic thermo-plastic thermo adj plastic plastic polymer polyimide polyamide polyethylene fiber fibre composite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:16
S17	178	S15 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene fiber fibre composite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:16
S18	2579001	S15 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) and (fiber fibre composite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:16
S19	95	S15 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) and (fiber fibre composite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:17
S20	5	S15 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) and ((fiber fibre) near composite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:20

S21	7995	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4) with (static electrostatic electrostatic electro adj static electric\$2) near3 (electricity charge\$1 potential \$1) with (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:23
S22	22	S21 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) and ((fiber fibre) near composite)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 21:31
S23	233	S21 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) and ((fiber fibre) near (carbon graphite composite))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:18
S24	14	S21 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene) and ((fiber fibre) near (carbon graphite composite)) near3 (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:20
S25	94	S21 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) with (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:26

S26	4877	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4) near5 (static electrostatic electrostatic electro adj static electric\$2) near3 (electricity charge\$1 potential \$1) with (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:27
S27	2459	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4) near5 (static electrostatic electrostatic electro adj static electric\$2) near3 (electricity charge\$1 potential \$1) near5 (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:28
S28	18	S27 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) near5 (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:29
S29	2775	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4 dissipat\$3) near5 (static electrostatic electro-static electro adj static electric\$2) near3 (electricity charge\$1 potential \$1) near5 (housing casing case enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:33

S30	3004	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4 dissipat\$3) near5 (static electrostatic electro-static electro adj static electric\$2) near3 (electricity charge\$1 potential \$1) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:34
S31	22	S30 and (thermoplastic thermo-plastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:34
S32	23	S30 and (thermoplastic non adj conduct\$4 non adj metal\$2 non-conduct\$4 semi adj conduct\$4 semi-conduct\$4 thermo-plastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:35

S33	3100	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4 dissipat\$3 suppress \$4) near5 (static electrostatic electrostatic electro adj static electric\$2) near3 (electricity charge\$1 potential \$1) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:45
S34	23	S33 and (thermoplastic non adj conduct\$4 non adj metal\$2 non-conduct\$4 semi adj conduct\$4 semi-conduct\$4 thermoplastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:48
S35	9719	(thermoplastic non adj conduct\$4 non adj metal\$2 non-conduct\$4 semi adj conduct\$4 semi-conduct\$4 thermoplastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/25 23:59

S36	1080	361/212.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:00
S37	2317	361/212-218.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:00
S38	15	S37 and (thermoplastic non adj conduct\$4 non adj metal\$2 non- conduct\$4 semi adj conduct\$4 semi- conduct\$4 thermo- plastic thermo adj plastic plastic polyethylene polymer polymide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:01
S39	122	S37 and (valve duct conduit) with (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:05
S40	122	S39 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:06
S41	19	S39 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:11

S42	2977	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4 dissipat\$3 suppress \$4) near5 (static electrostatic electro-static electro adj static electric\$2) near2 (electricity charge\$1 potential \$1) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:14
S43	338	S42 and (valve duct conduit) with (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:15
S44	96	(prevent\$4 reduc\$4 eliminat\$4 protect\$3 avoid\$3 minimiz\$4 dissipat\$3 suppress \$4) near5 (static electrostatic electro-static electro adj static electric\$2) near2 (electricity charge\$1 potential \$1) near5 (housing casing case tank enclosure chassis cover container) same (conduit valve duct)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:16
S45	1	S44 and (thermoplastic non adj conduct\$4 non adj metal\$2 non-conduct\$4 semi adj conduct\$4 semi-conduct\$4 thermo-plastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) near5 (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:17

S46	1	S44 and (thermoplastic non adj conduct\$4 non adj metal\$2 non- conduct\$4 semi adj conduct\$4 semi- conduct\$4 thermo- plastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) with (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:17
S47	29	S44 and (thermoplastic non adj conduct\$4 non adj metal\$2 non- conduct\$4 semi adj conduct\$4 semi- conduct\$4 thermo- plastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) with (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:18
S48	1	S44 and ((fiber fibre) near (glass carbon graphite composite)) with (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:20
S49	67	S44 not S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 00:20
S50	2	("5108270").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/26 00:35
S51	3	("2791355").PN. OR ("3643707").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/26 01:00

S52	15	("2659384" "2796090" "3138170").PN. OR ("3625264").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/26 01:00
S53	1015343	(valve duct conduit orifice) with (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:05
S54	2	("7042695").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2009/03/26 01:32
S55	20622	(thermoplastic non adj conduct\$4 non adj metal\$2 non- conduct\$4 semi adj conduct\$4 semi- conduct\$4 thermo- plastic thermo adj plastic plastic polyethylene polymer polyimide polypropylene epoxy) and ((fiber fibre) near (glass carbon graphite composite)) with (housing casing case tank enclosure chassis cover container)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:46
S56	61	S55 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:47
S57	12	S56 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:49
S58	532	220/4.12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:51
S59	131	220/4.13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:52
S60	234	220/4.14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:52

S61	3179	(S37 S58 S59 S60)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:52
S62	52	S61 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:53
S63	6	S62 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/03/26 01:53
S64	9	("4676373" "5289937" "5437384" "5653354").PN. OR ("6050437").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/26 01:54

4/ 9/ 2009 4:40:52 PM

C:\ Documents and Settings\ twilloughby\ My Documents\ EAST\ Workspaces\ 10599094_2.wsp